

ORIGINAL ARTICLE



Impacts of Teachers' Pedagogical Approach on the Inclusion of Adolescents with Exceed Weight into Physical Education and Sports in Emirate of Ajman/United Arab Emirates

¹Insaf Sayar ^{*}, ²Jean-François Desbiens , ³Moôtez Marzougui, ⁴Abderrahman Ben Abderrahman 

¹Institut Supérieur du Sport et de l'Education Physique Ksar Saïd, Tunisie and Ministry of Education, Ajman, United Arab Emirates. ²Faculté des sciences de l'activité physique, 2500 boul. de l'Université, Sherbrooke, Québec, Canada. ³Ajman CrossFit Center, Ajman, United Arab Emirates. ⁴Institut Supérieur du Sport et de l'Education Physique, Manouba University, Ksar Saïd, Tunis.

Submitted June 18, 2021; Accepted in final form August 22, 2021.

ABSTRACT

Background. Physical Education and Sports (PES) is essential to the student's overall education. It has physical, affective, psychological, and social repercussions. Overweight adolescents are sometimes underestimated based on their lower physical performance and suffer from discriminatory attitudes by their peers and their physical education teachers. **Objectives.** This study aimed to investigate the impacts of teacher pedagogy and overweight or obesity on the inclusion of obese students in classrooms and to understand how PES teachers adapt their pedagogical interventions toward this category. **Methods.** A sample of 48 overweight or obese students and 20 teachers were approached from different schools in Ajman Emirate. Two questionnaires for obese students and PES teachers were used to collect the data. **Results.** According to the data collected through the questionnaire, 85.42% of obese students report that they rarely practice or do not practice physical activity outside of school, and 73.42% go to school by bus or car. In addition, 66.7% of the surveyed students said being overweight is a barrier to PSE practice. Similarly, 75% of the surveyed teachers said that obese students are not integrated with the PES course, but only 55% of teachers reported that the obese student became an obstacle in PES sessions, while 80% of teachers reported that obese or overweight students were marginalized by their colleagues. **Conclusion.** Our study confirmed an urgent need for effective teaching strategies/ pedagogies to include overweight or obese students in physical education engagement and learning.

KEYWORDS: *Pedagogy, Inclusion, Obesity, PES, Adolescent.*

INTRODUCTION

In the United Arab Emirates (UAE), being overweight is a dominant issue. It is considered a major public health problem. Its management is a primary objective, given the growth of this handicap and its consequences on health. This survey is the first attempt to study the impact of the teacher's pedagogy on the inclusion of corpulent adolescents in PES setting in the emirate of Ajman (UAE).

The incidence of overweight and obesity is increasing rapidly, especially among school-age children and adolescents, becoming a chronic and epidemic limitation with a continuous increase in prevalence (1). It has been shown that parents tend to misjudge their children's weight status at an early age (2). In addition, obesity for adolescents presents a significant risk of

*. Corresponding Author:

Insaf Sayar, Ph.D

E-mail: insafsayar092@gmail.com

persistence into adulthood. The multiple complications of obesity require the interest in an effective preventive approach that should be initiated in early childhood (3). This delicate issue is also very present in the school environment; every physical education and sports (PES) teacher will be confronted with this situation at some point. Thanks to the educational role of the school, PES must be a vector of inclusion for all students and those with special needs. For obese or overweight students, PES has obvious physical, psychological, and social benefits. Indeed, the progress they can make improves their daily life, their quality of life, and their autonomy. PES also builds their confidence and self-esteem and equips them to face their difficulties better (4). Thus, the goal of this work is to evaluate the impacts of physical activity and the teachers' pedagogical approach for including overweight or obese students in physical education engagement and learning in the emirate of Ajman and to understand how PES teachers design their pedagogical interventions with obese adolescents for better involvement of their part into PES setting.

The intervention of the PES teacher should not be the same with all the partners of the pedagogical relationship, therefore, we seek to understand how the PES teacher conceives his pedagogical approach with overweight/obese students where their morphotype limits their practice of PES.

Faced with this pedagogical and didactic situation, do teachers consider this difference by prescribing specific content during the PES session? The objective of this research was to study the impacts of both teacher's pedagogy and overweight or obesity on the inclusion of obese students in PES classes in the school setting in the Emirate of Ajman (United Arab Emirates) and to understand how PES teachers adapt their pedagogical interventions towards this category

MATERIALS AND METHODS

It was a cross-sectional descriptive survey of overweight and obese students and PES teachers from six Emirate of Ajman (UAE) schools. The study was conducted over 17 months, from January 2020 to May 2021.

Population. Among 500 interviewed students from different schools, two samples were involved in this study:

- 48 overweight or obese students (28 girls and 20 boys) aged 14 to 18 years old and enrolled in

six public and private high schools in the emirate of Ajman. Body Mass Index (BMI) is a person's weight in kilograms divided by the square of height in meters. A high BMI can be an indicator of high body fatness.

If your BMI is 25.0 to < 30.0, it falls within the overweight range.

If your BMI is 30.0 or higher, it falls within the obese range.

- 20 PES teachers (14 men and 6 women) working in the six schools. The interviewed teachers had more than 10 years (40 years old as an average) of experience and had taught at all grade levels in both the public and private sectors.

A criterion for selecting the schools was their location in the main urban areas of the emirate of Ajman, where all social classes live together.

Data Collection Tool. For the data collection, we used two questionnaires as an instrument. The questionnaire was distributed to the students during physical education classes. At the end of each session, and with the supervision of the teachers, meetings with the students were organized to allow the interviewer to provide explanations, to better prepare them before answering the questions. The questionnaire consisted of 17 items to assess the impact of overweight and obesity on the integration of students into the PES classes. The questionnaire for PES teachers consists of 16 items and collects comprehensive information on the obstacles encountered by overweight and obese students during PES sessions and the intervention methods teachers adopted to remedy these problems.

Fourteen questions were closed and two open-ended. The closed-ended questions made it easy for respondents to provide the necessary information, either by yes or no. The closed-ended questions also allowed them to provide the necessary information. The teacher gives his or her opinion anonymously and confidentially.

Difficulties Encountered. Difficulties encountered in this study were because some teachers/students were more reluctant, misplaced the questionnaires, or made them incomplete. The interviewer had to reproduce and redistribute the questionnaire. After communication and explanation of the study's objectives, they gave us voluntary information on the subject.

Measurement of Anthropometric Parameters. The anthropometric parameters measured included body weight, height, and BMI. BMI is a widely used anthropometric technique even though it does

not provide direct information on body composition (5). BMI (kg/m^2) is calculated by dividing weight (kg) by the square of height (m^2).

The BMI values were used to define the obesity indices (overweight, obesity, severe obesity). According to the International Obesity Task Force (IOTF), these indices were defined (6).

Weight was measured with a scale (SECA; accuracy of 0.1 kg). Height was measured standing using a SECA scale (accuracy of 0.1 cm).

Ethical Aspects. Volunteers' students and parents were informed about the study, its objectives, and its modalities. All data were collected confidentially and anonymously.

Statistical Analysis. Data were collected and processed manually. The results obtained were

listed and grouped, presented in tables, followed by comments. The analyses were performed using the Student t-test and the Excel spreadsheet (version 2016). The data were represented by means and standard deviations.

RESULTS

Anthropometric Characteristics. The participants consist of 48 overweight and obese students, including 28 girls (58.33%) and 20 boys (41.67%) between the ages of 14 and 18. Table 1 presents the anthropometric characteristics of the participants. The average BMI is 28.58 ± 3.14 . The BMI calculation showed that among the 48 participants, 36 students were overweight, 8 obese, and 4 morbidly obese, according to IOTF (6).

Table 1. Anthropometric Characteristics of all Overweight and Obese Students

Students (n=48)	
	Average \pm SD
Size (m)	1.65 \pm 0.08
Weight (kg)	77.75 \pm 9.56
BMI (kg/m^2)	28,58 \pm 3.14

SD: Standard Deviation; BMI: Body Mass Index

Table 2. Physical Activity and Physical Inactivity of all Obese or Overweight Students, N = 48

Parameter (questionnaire items)	Students	Percentages
Type of transport tool to the school		
Walk	11	22.92
Car	23	47.92
Bus	14	29.17
The practice of physical activity outside of school		
Yes	7	14.58
No	22	45.83
From time to time	19	39.58
Is a sedentary lifestyle the cause of overweight or obesity?		
Yes	43	89.58
No	5	10.42

Physical Activity and Sedentary Lifestyle. According to the data collected by the questionnaire, 22.92% of students walk to their schools, while 77.09% of obese students use some form of motorized transportation (car or bus) to get to school. Concerning physical activity outside of school, 85.42% of participants reported that they rarely or never participate in physical activity outside of school (Table 2).

Feelings of Overweight or Obese Students about the PES Class. According to the data collected, 66.7% of the surveyed students said that being overweight is a barrier to the practice of PES. In addition, overweight and obese students stated that they do not prefer certain physical activities such as running (8.33%) and

jumping (4.17%), but they prefer swimming (33.33%), throwing (18.75%) or other activities (25.0%). Furthermore, most students (83.33%) stated that the teacher considers their disability during PES classes. In addition, 79.17% of students reported getting good grades in PE. Finally, most students (93.75%) wish to be exempted from PSE class (Table 3).

Pedagogical Intervention by PES Teachers with Overweight or Obese Students. Table 4 shows that all PES teachers interviewed in this study reported working with classes of obese students. Moreover, according to 75% of these teachers, obese students are exempted from PES classes. 75% of the teachers state that obese students are not integrated into the PES class, but only 55% of the teachers

report that the obese student becomes an obstacle in PES sessions, while 80% of the teachers report that the obese or overweight student is

marginalized by his/her colleagues. However, 75% of teachers report that obese students are motivated during PES sessions (Table 4).

Table 3. Feelings of Overweight or Obese Students in the PES Class, N = 48

Parameters (Questionnaire Items)	Students	Percentages
Does your weight constitute an obstacle to the practice of PES?		
Yes	32	66.67
No	16	33.33
Are you getting good marks in PES?		
Yes	38	79.17
No	10	20.83
The physical activities that are not preferred		
Races	4	8.33
Jumps	2	4.17
The best physical activities done?		
Throws	9	18.75
Swimming	16	33.33
Others	12	25.0
Does the teacher take into consideration the nature of your disability?		
Yes	40	83.33
No	8	16.67
How do you think you are perceived by your colleagues?		
Good	12	25.0
Bad	13	27.08
I don't know	15	31.25
I don't pay attention	8	16.67
Would you like to be exempted from PES classes?		
Yes	45	93.75
No	3	6.25

Table 4. Pedagogical Intervention by PES Teachers with Overweight or Obese Students, N = 20

Parameters (Questionnaire Items)	Teachers	Percentages
Have you worked with classes that contain obese students?		
Yes	20	100
No	0	0
Are any of these obese students exempted from PES?		
Yes	15	75
No	5	25
Does obesity become a barrier in the PES session?		
Yes	11	55
No	9	45
Are these students integrated individually into the class?		
Yes	5	25
No	15	75
Are obese students motivated during PES sessions?		
Yes	15	75
No	5	25
Do you address the topic of nutrition?		
Yes	14	70
No	6	30
Is the obese student marginalized by his/her colleagues?		
Yes	16	80
No	4	20
What is your adopted psychology with an obese student?	No Answer	
How do you deal with having an obese student in your P.E. class?	No Answer	

Questioned about their psychologies and their ways of intervening to overcome the obstacles encountered by overweight and obese students during PES class, the teachers put forward certain proposals such for example:

- Adapt the activities to the obese student (Provide a choice of different size equipment to accommodate big sizes (e.g., scooters, jerseys, ropes, and harnesses);

- Establish and manage positive class behavior (Intervene immediately and privately when students display negative behaviors by pulling the offending student to the side and reminding him or her of the rules and reasons for rules, and a way to “buy their way back” into the activity.);
- Encourage effort and adjust individual goals (Encourage participation in-class activities with effort: “Do what you can” rather than comparing performance with others, select an overweight or obese student as Student of the Month, recognizing effort or pro-social behavior);
- Empowering obese students within their groups to value them;
- Use proactive social grouping (Group overweight or obese students with friends or others who will make them feel accepted; vary groups during class and use mixed-ability groups appropriately for safe and positive practice).

DISCUSSION

This study aimed to evaluate the impacts of teachers’ pedagogical approach on the inclusion of overweight and obese adolescent students into PES in the Emirate of Ajman (UAE). Therefore, how can we make physical activity more attractive to the most hesitant students?

To achieve this goal, we used two questionnaires addressed to the PES teachers and obese students. Our results showed that a sedentary lifestyle seems to be well correlated, among other things, with the handicap of overweight and obese students. Indeed, 85.41% of the latter declared that they rarely or never practice physical activity outside of school, and 73.42% use a means of transportation (car or bus) to get to school. Similarly, many studies have suggested an inverse relationship between adolescent obesity prevalence and physical activity levels (7, 8). However, another study (9) found that being overweight is more common among physically active children outside of school. It is explained by the fact that parents only encourage their children to engage in regular physical activity after becoming overweight (8).

Furthermore, the results show that 66.7% of the surveyed students stated that being overweight is a barrier to PES practice. In addition, obese or overweight students say they do not prefer certain physical activities such as running, jumping, or gymnastics; however, they

prefer swimming (33.33%), throwing (18.75%), or other activities (25.0%). This finding agrees with most PES teachers (75.0%) who state that obese students do not feel into PES classes. Similarly, according to 55.0% of the teachers, obese students represent an obstacle to PE sessions. It may partly explain the high number of exemptions from PES classes among these obese students, as reported by 75.0% of teachers. This attitude of obese students towards PES could be attributed to the fact that obese students are often marginalized, stigmatized, and poorly perceived by their colleagues, which can lead to isolation, withdrawal, and even depression (10). In addition, teachers are aware that some students do not show self-confidence in performing or learning new movement skills within their reach and that some are ignored or socially excluded and may be targeted for teasing by their peers (11). It has also been found in other studies in other countries (12, 13), which reported that teachers recognized that obese students experience conflict because they feel different and less “performing” than their non-disabled peers. Obese students, on the other hand, report that they want to be excluded from PES classes and prefer certain physical activities such as swimming and throwing. It contradicts the high number of exemptions among these students, as reported by interviewed teachers. It suggests that obese students do not feel comfortable and are in a situation of physical and moral suffering. They are afraid of feeling like they are failing in front of others during PES classes, which forces them to develop attitudes of avoidance or even rejection of sports practices. However, the surveyed students reported that they get good marks in PES (79.17%) and that the teacher considers their disability. To promote the integration of students, teachers try to act daily in class through dialogue with them. The teachers will also consider the wishes of obese students who want to practice PES, but with more accessible grading scales.

For teachers interested in tackling the challenge of providing inclusive and positive experiences for overweight and obese students, it may be helpful to think beyond typical PES boundaries and work at the school, family, and community levels. Teachers can use strategies at multiple levels of the ecology of the overweight child (Figure 1).




Figure 1. Social-Ecological Constraint Model for Inclusion of Overweight Students into Physical Education (11).

Based on the results observed, it is appropriate to make a few suggestions that may allow PES teachers to put in place strategies for better inclusion of their students:

- Know and take into consideration the psychosocial risks incurred by obese students in order to prevent, identify and manage them adequately;
- Develop the spirit of cooperation between students;
- Include health education in PE;
- Evaluate obese students based on their progress.

CONCLUSIONS

This study points out that excess weight is a barrier to PES practice among the adolescents studied for various reasons. Indeed, they were not included in PES classes because they felt different and less “performing” than their non-disabled peers. In addition, they were marginalized and poorly perceived by their peers, which led them to avoid or irregularly attend PES sessions. It follows from what has been observed that obese students need a pedagogical relationship made up of a lot of attention, concern, and affectivity.

Thus, the PE teacher could play an important role in this regard by adopting the practice modalities to the well-identified resources of the obese or overweight student, allowing him/her to be part of a dynamic of action, progress, self-confidence, and pleasure.

In addition, with a growth mindset and an inclusive philosophy, teachers can use pedagogies

at multiple levels (i.e., PE classroom, program, school) to create a positive, inclusive climate for students and to individualize instruction so that students can work at their ability level toward self-growth and acquire the skills, knowledge, and dispositions to live a healthy, active lifestyle (14). Each school is different, with many challenges, but if one believes that each student can learn, deserves to learn, and can be a valuable member of your class, one has a mission to help children self-actualize and achieve the goals of PES. Consideration of the teachers’ pedagogy adopted may help to carry inclusion

Future Research Directions. Knowledge generated from this research has illustrated an urgent need and further effective teaching strategies for including overweight or obese students in PES engagement and learning. It provided a first step toward conceptualizing a specific social-ecological constraint model (11) and used it as a guide to developing more creative, inclusive strategies to maximize overweight and obese students’ engagement in PE class climate (14). The effectiveness of these inclusive strategies may vary as a function of individual students’ personalities and traits and specific teaching situations.

APPLICABLE REMARKS

- The teachers should adapt PES learning conditions to the obese student by choosing the activity according to the students, their aptitudes, their level of ability, and their motivations.
- Avoid placing the obese students in an awkward situation with their classmates.
- Group students who have been partially exempted in a single class and offer them hours of support.
- Intervene with parents to incite obese students to follow a suitable diet and to try to practice adapted physical and sports activities.

DISCLOSURE

The authors declared no conflict of interest.

ACKNOWLEDGEMENTS

We would like to thank all PES teachers and students for participating in this study.

REFERENCES

1. Pengpid S, Peltzer K. Trends in the prevalence of twenty health indicators among adolescents in United Arab Emirates: cross-sectional national school surveys from 2005, 2010 and 2016. *BMC Pediatr.* 2020;20(1):357. doi: 10.1186/s12887-020-02252-0 pmid: 32727441

2. Parry LL, Netuveli G, Parry J, Saxena S. A systematic review of parental perception of overweight status in children. *J Ambul Care Manage*. 2008;**31**(3):253-268. doi: 10.1097/01.JAC.0000324671.29272.04 pmid: 18574384
3. Chiarelli F, Marcovecchio ML. Insulin resistance and obesity in childhood. *Eur J Endocrinol*. 2008;**159** Suppl 1:S67-74. doi: 10.1530/EJE-08-0245 pmid: 18805916
4. Nthangeni S, Toriola A, Paul Y, Naidoo V. Student-Athlete or Athlete-Student: Analysis of Benefits and Barriers of University Sport Participation in South Africa. *Ann Appl Sport Sci*. 2021;**9**(2).
5. Warner DA, Johnson MS, Nagy TR. Validation of Body Condition Indices and Quantitative Magnetic Resonance in Estimating Body Composition in a Small Lizard. *J Exp Zool A Ecol Genet Physiol*. 2016;**325**(9):588-597. doi: 10.1002/jez.2053 pmid: 28035770
6. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ*. 2000;**320**(7244):1240-1243. doi: 10.1136/bmj.320.7244.1240 pmid: 10797032
7. Tammelin T, Laitinen J, Nayha S. Change in the level of physical activity from adolescence into adulthood and obesity at the age of 31 years. *Int J Obes Relat Metab Disord*. 2004;**28**(6):775-782. doi: 10.1038/sj.ijo.0802622 pmid: 15037883
8. Jago R, Baranowski T, Baranowski JC, Thompson D, Greaves KA. BMI from 3-6 y of age is predicted by TV viewing and physical activity, not diet. *Int J Obes (Lond)*. 2005;**29**(6):557-564. doi: 10.1038/sj.ijo.0802969 pmid: 15889113
9. Allam O, Oulamara H, Agli AN. Prévalence et facteurs de risque du surpoids chez des enfants scolarisés dans une ville de l'est algérien (Constantine). *Antropo*. 2016;**35**:91-102.
10. Faith MS, Matz PE, Jorge MA. Obesity-depression associations in the population. *J Psychosom Res*. 2002;**53**(4):935-942. doi: 10.1016/s0022-3999(02)00308-2 pmid: 12377306
11. Rukavina PB, Doolittle S, Li, W., Manson M, Beale A. Middle school, teachers' strategies for including overweight and obese students in skill and fitness instruction. *J Teach Physic Educat*. 2015;**34**:93-118. doi: 10.1123/jtpe.2013-0152
12. Tania S. Intégrer des élèves ayant des besoins particuliers: le rôle et le vécu de l'enseignant d'EPS au secondaire II. Master, Haute école pédagogique de Lausanne 2010. Available from: https://doc.rero.ch/record/24919/files/mp_ms2_p20099_2010.pdf.
13. Fruh SM. Obesity: Risk factors, complications, and strategies for sustainable long-term weight management. *J Am Assoc Nurse Pract*. 2017;**29**(S1):S3-S14. doi: 10.1002/2327-6924.12510 pmid: 29024553
14. Li W, Rukavina P. Including overweight or obese students in physical education: a social ecological constraint model. *Res Q Exerc Sport*. 2012;**83**(4):570-578. doi: 10.1080/02701367.2012.10599254 pmid: 23367820